DIFFICULT ADDITIVE NF

USAGE No: 25

HAZARDOUS ACCORDING TO THE CRITERIA OF NOHSC AUSTRALIA

GENELYN PTY LTD PO BOX 337, MARDEN S.A. EMERGENCY TELEPHONE NO: (08) 8337 0955, POISONS INFORMATION CENTRE 13 1126 DATE: 03 August 2010.

IDENTIFICATION

PRODUCT NAME: GENELYN DIFFICULT ADDITIVE NF OTHER NAMES: ARTERIAL SUPPLEMENT SHIPPING NAME: CORROSIVE LIQUID, TOXIC, N.O.S.* CONTAINS PHENOL MANUFACTURER'S PRODUCT CODE: DIFF ADD USE: TISSUE GAS, DIFFICULT/DECOMP CASES AS ADDITIVE TO ARTERIAL SOLUTION UN NUMBER:2922DANGEROUS GOODS CLASS:8SUB-CLASS:6.1HAZCHEM CODE:2XPOISONS SCHEDULE:S6PACKING GROUP:III

PHYSICAL DESCRIPTION/PROPERTIES

APPEARANCE: Clear, purplish liquid BOILING POINT: N/D VAPOUR PRESSURE: N/D SPECIFIC GRAVITY: <1 FLASHPOINT:

Non flammable;

SOLUBILITY IN WATER: Complete

OTHER PROPERTIES: PH 5.2 -5.3

INGREDIENTS		
CHEMICAL ENTITY	CAS NO	PROPORTION
Methanal (formaldehyde)	50-00-0	10-30% w/w
Benzanol (phenol)	108-95-2	10-30% w/w
Benzalkonium Chloride	8001-54-5	1-5% w/w
Proprietary modifiers and additives determined not to be hazardous.		30-70% w/w
Water	7732-18-5	To balance

This information is furnished without warranty, representation or license of any kind, except that it is accurate to the best of Genelyn Pty Ltd knowledge or obtained from sources believed by Genelyn Pty Ltd to be accurate. Genelyn Pty. Ltd. Does not assume any responsibilities for the use or reliance upon same. Customers are encouraged to conduct their own tests. Before using any product, READ THE LABEL.

HEALTH EFF	ECTS
	SWALLOWED: Corrosive, poisonous and causes burning to the digestive tract. Can cause nausea, headache, even
	death.
	EYE: Corrosive to eye tissues. May cause scars on cornea. Vapours can cause redness and irritation.
	SKIN: Corrosive to skin. Prolonged contact causes burning. Is absorbed through skin and causes inflammation.
	INHALED: High irritant to mucous membranes. Can cause dizziness, nausea, headache, even death.
FIRST AID	SWALLOWED: Rinse mouth. DO NOT INDUCE VOMITING. Drink a glass of water or milk.
	Call a doctor immediately.
	EYE: Flush eyes with running water for at least 15 minutes. Call a doctor immediately.
	SKIN: Remove contaminated clothing. Wash skin well with large amounts of water. If irritation persists call a doctor immediately.
	INHALED: Remove affected person to a well-ventilated area. If breathing has stopped, give artificial respiration followed by oxygen. Call a doctor immediately.

FIRST AID FACILITIES

ADVISE TO DOCTOR: Treat it symptomatically. Do not apply gastric lavage.

	PRECAUTIONS FOR USE		
EXPOSURE STANDARDS:	Formaldehyde- 1ppm (1.2mg/m3) TWA, 2ppm (2.5 mg/m3) STEL, Sensitiser, Garcinegen CAT. 2.		
	Phenol- 1ppm (4 mg/m3) TWA, skin		
ENGINEERING CONTROLS:	Keep workplace well ventilated.		
PERSONAL PROTECTION:	Normal embalming equipment		
REACTIVITY:	Strong oxidants, alkalis, halogens, and their derivatives, destroy its function.		
	Immiscible with hydrocarbon solvents.		
	SAFE HANDLING INFORMATION		
STORAGE AND TRANSPORT:	Indoors between 2 $^{\circ}$ C - 40 $^{\circ}$ C in plastic containers.		
SPILLS AND DISPOSALS:	Rinse small spills into drainage traps. Do not discharge into waterways.		
	Bond and soak up large spills with non-combustible absorbents, remove and dispose of spills according to local regulations.		
FIRE/EXPLOSION HAZARD:	Rating: None.		
HEALTH HAZARD:	Rating: Moderate		

OTHER INFORMATION:

porole SIGNED:

DATED 03 August 2010

PO Box 337, Marden, SA 5070

TELE (08) 8337 0955 FAX (08) 8337 0966

This information is furnished without warranty, representation or license of any kind, except that it is accurate to the best of Genelyn Pty Ltd knowledge or obtained from sources believed by Genelyn Pty Ltd to be accurate. Genelyn Pty. Ltd. Does not assume any responsibilities for the use or reliance upon same. Customers are encouraged to conduct their own tests. Before using any product, READ THE LABEL.